SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Finish Classic

SDS number: D8379495 Code: 3165278 v1.0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Automatic Dishwasher Detergent Consumer Use

1.3. Details of the Supplier of the Safety Data Sheet

The United Kingdom:

RB UK Hygiene Home Commercial Ltd Wellcroft House Wellcroft Road Slough, Berkshire SL1 4AQ Tel: 0800 376 8181 Email: consumer.relations-ukroi@rb.com

The Republic Of Ireland:

RB Ireland Hygiene Home Commercial Ltd 7 Riverwalk Citywest Business Campus Dublin 24 Ireland Tel: 01 661 7318 Email: consumer.relations-ukroi@rb.com

1.4 Emergency telephone number

GB - NHS 111/NHS 24 Tel: 111

NI - www.gpoutofhours.hscni.net/

IE - Poisons Information Centre of Ireland: 01 809 2166 8am-10pm 7 days a week.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Eye Irrit. 2, H319

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Date of issue/Date of revision

D8379495 v1.0

SECTION 2: Hazards identification

Hazard pictograms	
Signal word	: Warning
Hazard statements	: Causes serious eye irritation.
Precautionary statements	
General	: Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Not applicable
Response	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label	: Ingredient Declaration:
elements	5 - <15 % oxygen-based bleaching agents,
	<5 % phosphonates
	<5 % non-ionic surfactants,
	<5 % polycarboxylates
	Contains enzymes (Subtilisin, Amylase)
	Contains perfumes
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: None
Special packaging requirem	nents
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	: Do not ingest. If product is ingested then seek medical advice.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : N	lixture				
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре	
SODIUM CARBONATE	REACH #: 01-2119485498-19 EC: 207-838-8 CAS: 497-19-8 Index: 011-005-00-2	≥50 - ≤75	Eye Irrit. 2, H319	[1]	
SODIUM CARBONATE PEROXIDE		≤10	Ox. Sol. 3, H272 Acute Tox. 4, H302 Eye Dam. 1, H318	[1]	
SODIUM SILICATE	REACH #: 01-2119652761-37 EC: 215-687-4 CAS: 1344-09-8	≤1	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	[1]	
(1-hydroxyethylidene) bisphosphonic acid, sodium salt	REACH #: 01-2119510382-52 EC: 249-559-4 CAS: 29329-71-3	≤1	Acute Tox. 4, H302 Eye Irrit. 2, H319	[1]	
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

SECTION 4: First aid measures

Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air anc keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a
	collar, tie, belt or waistband.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms	an	d effects, both acute and delayed
Over-exposure signs/sympto	m	5
Eye contact	:	Adverse symptoms may include the following: pain or irritation

	watering	
	redness	
Inhalation	: No specific data.	
Skin contact	: No specific data.	
Ingestion	: No specific data.	

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

:	Use an extinguishing agent suitable for the surrounding fire.				
:	None known.				
om	the substance or mixture				
:	No specific fire or explosion hazard.				
-	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides				
:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.				
:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.				
	: : :				

SECTION 6: Accidental release measures

6.1 Personal precautions, prot	teo	tive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and materials for	С	ontainment and cleaning up
Small spill	:	Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Do not store above the following temperature: 30°C (86°F). Daily average of 30°C. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Laundry and dish-washing products Consumer use
Industrial sector specific solutions	: Not available.

D8379495 v1.0

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

DNELs/DMELs

Product/ingredient name	Туре	Exposure	Value	Population	Effects
SODIUM CARBONATE	DNEL	Long term Inhalation	10 mg/m³	Workers	Local
	DNEL	Short term Inhalation	10 mg/m³	General population [Consumers]	Local
SODIUM CARBONATE PEROXIDE	DNEL	Short term Dermal	6.4 mg/cm ²	General population [Consumers]	Local
	DNEL	Short term Dermal	12.8 mg/ cm²	Workers	Local
	DNEL	Short term Inhalation	5 mg/m³	Workers	Local

PNECs

Product/ingredient name	Compartment Detail	Value	Method Detail
SODIUM CARBONATE PEROXIDE	Sewage Treatment Plant	16.24 mg/l	Assessment Factors
	Fresh water Marine water	0.035 mg/l 0.035 mg/l	Assessment Factors Assessment Factors

8.2 Exposure controls

Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measu	<u>ires</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	 EN 16523-1:2015 Tested for protection against chemical permeation. Low chemical resistant or waterproof gloves. (EN 16523-1:2015 supersedes EN 374-3:2003) EN 374-2:2003 Tested for protection against liquid penetration and micro-organisms. EN 388:2003 Tested for protection against mechanical risks (abrasion, blade cut resistance, tear resistance and puncture resistance). ISO 374-1:2016/Type A Protective glove with permeation resistance of at least 30 minutes each for at least 6 test chemicals. ISO 374-1:2016/Type B Protective glove with permeation resistance of at least 30 minutes each for at least 3
Date of issue/Date of revision	: 20/08/2020 Date of previous issue : No previous validation Version : 1.0 6/1
	•

SECTION 8: Exposure controls/personal protection

	test chemicals. ISO 374-1:2016/Type C Protective glove with permeation resistance of at least 10 minutes for at least 1 test chemical. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>Appearance</u>		
Physical state	1	Solid. [Tablet]
Color	1	White. Blue.
Odor	1	Perfumed
Odor threshold	1	Not determined
рН	1	10.4 [Conc. (% w/w): 10%]
Melting point/freezing point	1	Not determined
Initial boiling point and boiling range	:	Not determined
Flash point	1	Not determined
Evaporation rate	:	Not determined
Flammability (solid, gas)	1	Not determined
Upper/lower flammability or explosive limits	:	Not determined
Vapor pressure	1	Not determined
Vapor density	1	Not determined
Relative density	1	Not determined.
Solubility(ies)	1	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/ water	:	Not determined
Decomposition temperature	:	Not determined
Viscosity	1	Not determined.
Explosive properties	1	Not determined
Oxidizing properties	:	Not determined
9.2 Other information		
Auto-ignition temperature	:	Not available.

Date of issue/Date of revision

D8379495 v1.0

SECTION 9: Physic	al and chemical properties
SADT	: >55°C
Heat of reaction	: <300 J/g
SECTION 10: Stabi	lity and reactivity
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
Conditions of instability	: Do not expose to temperatures exceeding 50 °C/122 °F.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: Keep away from heat and direct sunlight. Protect from moisture.
10.5 Incompatible materials	s : No specific data.
10.6 Hazardous	: Under normal conditions of storage and use, hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

decomposition products

Product/ingredient name	Result	Species	Dose	Exposure
SODIUM CARBONATE	LD50 Dermal	Rabbit	>2000 mg/kg	
SODIUM CARBONATE	LD50 Oral	Rat	2800 mg/kg	
PEROXIDE	LD50 Oral	Rat	1034 mg/kg	

Conclusion/Summary : Based on available data, the classification criteria are not met.

should not be produced.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
FIL,FINSH,2LCLASSIC, NDM 3165278 3166779 D8379495 EU	12532.5	N/A	N/A	N/A	N/A
sodium carbonate	2800	N/A	N/A	N/A	N/A
disodium carbonate, compound with hydrogen peroxide (2:3)	1034	N/A	N/A	N/A	N/A

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
SODIUM CARBONATE	Eyes - Mild irritant	Rabbit		0.5 minutes 100	-
	Eyes - Moderate irritant	Rabbit	-	milligrams 24 hours 100 milligrams	-

Conclusion/Summary	
Skin	: Based on available data, the classification criteria are not met.
Eyes	: Based on Calculation Method: Causes serious eye irritation.
Respiratory	: Based on available data, the classification criteria are not met.
Sensitization	

SECTION 11: Toxicological information

Product/ingredient name	Route o exposur		Sp	ecies		Result		
Not applicable.								
Conclusion/Summary								
Skin	: Based on	available dat	a, the c	lassificatio	on crite	ria are not met.		
Respiratory	: Based on	available dat	a, the c	lassificatio	on crite	ria are not met.		
Mutagenicity								
Product/ingredient name	Те	st		Exp	erimen	t	Result	
Not applicable.								
Conclusion/Summary	: Based on	available dat	a, the c	lassificatio	on crite	ria are not met.		
<u>Carcinogenicity</u>								
Product/ingredient name	I	Result		Speci	ies	Dose	E	xposure
Not applicable.								
Conclusion/Summary	: Based on	available dat	a, the c	lassificatio	on crite	ria are not met.		
Reproductive toxicity								
Product/ingredient name	Maternal toxicity	Fertility		opment oxin	\$	Species	Dose	Exposure
Not applicable.								
Conclusion/Summary	: Based on	available dat	a, the c	assificatio	on crite	ria are not met.		
Teratogenicity								
Product/ingredient name	I	Result		Speci	es Dose		Exposure	
Not applicable.								
Conclusion/Summary	: Based on	available dat	a, the c	assificatio	on crite	ria are not met.		
Specific target organ toxicity	<u>y (single exp</u>	<u>osure)</u>						
Product/ingr	edient name			Categor	У	Route of exposure	Targ	et organs
Not applicable.								
Specific target organ toxicit	y (repeated e	xposure)	I		I			
Product/ingr	redient name			Categor	У	Route of exposure	Targ	et organs
Not applicable.								
Aspiration hazard								
	ngredient na	me				Resul	t	
Not applicable.								
Information on the likely routes of exposure	: Not availa	ıble.						
Potential acute health effects								
Eye contact	: Causes se	erious eye irri	tation.					
Inhalation		n significant e		critical h	azards.			
Skin contact	: No known	n significant e	ffects or	critical h	azards.			
Ingestion	: No known	n significant e	ffects or	critical h	azards.			
Symptoms related to the phys	sical, chemic	al and toxic	ologica	charact	eristics	<u>5</u>		

D8379495 v1.0

SECTION 11: Toxico	logical information
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effect	cts and also chronic effects from short and long term exposure
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	<u>ects</u>
Conclusion/Summary	: Based on available data, the classification criteria are not met.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
	5

Other information

: Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure			
SODIUM CARBONATE	Acute EC50 242000 µg/l Fresh water	Algae - Navicula seminulum	96 hours			
	Acute LC50 176000 µg/l Fresh water	Crustaceans - Amphipoda	48 hours			
	Acute LC50 265000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours			
SODIUM CARBONATE	Acute LC50 300000 µg/l Fresh water	Fish - Lepomis macrochirus	96 hours			
PEROXIDE	Acute EC50 70 mg/l	Algae - Chlorella emersonii	240 hours			
	Acute EC50 4.9 mg/l	Daphnia - Daphnia Pulex	48 hours			
	Acute LC50 70.7 mg/l	Fish - Pimephales promelas	48 hours			
Conclusion/Summary	: Based on available data, the classification criteria are not met.					

Conclusion/Summary

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

Date of issue/Date of revision

SECTION 12: Ecological information

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	 The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	 This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

For long distance transport of bulk material or shrunk pallet take into consideration sections 7 and 10.

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : None on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

15.2 Chemical Safety

: No Chemical Safety Assessment has been carried out.

Assessment

SECTION 16: Other information

\checkmark	Indicates information	that has changed from	previously issued version.
--------------	-----------------------	-----------------------	----------------------------

Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number
	vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Eye Irrit. 2, H319	Calculation method

Full text of abbreviated H statements

H272	May intensify fire; oxidizer.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
Full text of classifications [CLP/GHS]	
Acute Tox. 4, H302	ACUTE TOXICITY (oral) - Category 4
Eye Dam. 1, H318	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
Ox. Sol. 3, H272	OXIDIZING SOLIDS - Category 3
Date of printing : 8/25/2020	

SECTION 16: Other information

Date of issue/ Date of revision	: 20/08/2020
Date of previous issue	: No previous validation
Version	: 1.0

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.