

SAFETY DATA SHEET

Airoma Exotic Garden

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Airoma Exotic Garden	
Internal identification	AERO-07	
Container size	270mL	
UFI	UFI: 2357-RYV5-JY1J-CQ3T	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Air freshener	
Uses advised against	Use only for intended applications.	
1.3. Details of the supplier of	the safety data sheet	
Supplier	Vectair Systems Ltd Unit 3, Trident Centre, Armstrong Road, Basingstoke, Hampshire, RG24 8NU, UK +44 1256 319500 emea.info@vectairsystems.com	
Contact person	Product development	
Manufacturer	Royal Sanders Industriepark Vliedberg 12 5251RG Vlijmen The Netherlands	
1.4. Emergency telephone number		
Emergency telephone	Vectair Systems Ltd +44 1256 319500 (Office Hours 09:00am to 17:00pm)	
National emergency telephone [UK] 111 NHS Direct (England/Wales 0845 46 47; NHS 24 Scotland 08454 24 24 24) number		
SECTION 2: Hazarda idantifi	action .	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)	
Physical hazards	Aerosol 1 - H222, H229
Health hazards	Eye Irrit. 2 - H319 STOT SE 3 - H336
Environmental hazards	Not Classified

Classification in accordance with Directive 1907/2006/EEC

2.2. Label elements

Hazard pictograms



Signal word	Danger
Hazard statements	EUH208 Contains Heliotropine, p-Menthan-7-ol, Tetramethyl acetyloctahydronaphthalenes. May produce an allergic reaction. H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P261 Avoid breathing spray. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTRE/doctor if you feel unwell. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501 Dispose of contents/ container in accordance with national regulations.
Containa	in a second s

Contains

isopropanol

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

CECTION C. Composition minima		
3.2. Mixtures		
butane		30-60%
CAS number: 106-97-8	EC number: 203-448-7	
propane		10-30%
propane		10-50 /6
CAS number: 74-98-6	EC number: 200-827-9	
athenel		40.20%
ethanol		10-30%
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01- 2119457610-43-XXXX
isopropanol		5-10%
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01-
	EC number. 200-001-7	2119457558-25-XXXX
Propylene Glycol		5-10%
CAS number: 57-55-6	EC number: 200-338-0	REACH registration number: 01- 2119456809-23-XXXX

isobutane		1-2.5%
CAS number: 75-28-5	EC number: 200-857-2	
2-Phenylethanol		0.25-1%
CAS number: 60-12-8	EC number: 200-456-2	
	F0 1 004 400 F	<0.25%
CAS number: 120-57-0	EC number: 204-409-7	
Tetramethyl acetyloctahydronaphthale	nes	<0.25%
CAS number: 68155-66-8	EC number: 915-730-3	
p-Menthan-7-ol		<0.25%
CAS number: 13828-37-0	EC number: 237-539-8	~0.20 /
	_ 0	
Hostaphat MDAH		<0.25%
CAS number: 12645-31-7	EC number: 235-741-0	REACH registration number: 01- 2119896587-13-XXXX
Linalool		<0.25%
CAS number: 78-70-6	EC number: 201-134-4	REACH registration number: 01- 2119474016-42-XXXX
2,6-Dimethyloct-7-en-2-ol		<0.25%
CAS number: 18479-58-8	EC number: 242-362-4	
Linalyl acetate		<0.25%
CAS number: 115-95-7	EC number: 204-116-4	-0.20 /
3-ethoxy-4-hydroxybenzaldehyde		<0.25%
CAS number: 121-32-4	EC number: 204-464-7	
p-methoxybenzaldehyde		<0.25%
CAS number: 123-11-5	EC number: 204-602-6	
ortohudro 211 4 honzonuren 9 ene		-0.050
octahydro-2H-1-benzopyran-2-one CAS number: 4430-31-3	EC number: 224-623-4	<0.25%
Methylenedioxyphenyl methylpropanal		<0.25%
CAS number: 1205-17-0	EC number: 214-881-6	
p-t-Butyl-alpha-methylhydrocinnamic aldehyde		<0.25%
CAS number: 80-54-6	EC number: 201-289-8	

Hexyl cinnamal		<0.25%
CAS number: 101-86-0	EC number: 202-983-3	REACH registration number: 01- 2119533092-50-XXXX
alpha-iso-Methylionone		<0.25%
CAS number: 127-51-5	EC number: 204-846-3	
Trimethyl-propylcyclohexanepropa	nol	<0.25%
CAS number: 70788-30-6	EC number: 274-892-7	
Isobutyl salicylate		<0.25%
CAS number: 87-19-4	EC number: 201-729-9	
2-Methyl-3-(p-isopropylphenyl)prop	pionaldehyde	<0.25%
CAS number: 103-95-7	EC number: 203-161-7	
benzyl benzoate		<0.25%
CAS number: 120-51-4	EC number: 204-402-9	
Geranyl acetate		<0.25%
CAS number: 105-87-3	EC number: 203-341-5	REACH registration number: 01- 2119973480-35-XXXX
Acetylcedrene		<0.25%
CAS number: 32388-55-9	EC number: 251-020-3	
Geraniol		<0.25%
CAS number: 106-24-1	EC number: 203-377-1	REACH registration number: 01- 2119552430-49-XXXX
Pentyl salicylate		<0.25%
CAS number: 2050-08-0	EC number: 218-080-2	
(E)-1-(2,6,6-trimethyl-1-cyclohex-3-enyl) but-2-en-1-one		<0.25%
CAS number: 57378-68-4	EC number: 260-709-8	
Citronellol		<0.25%
CAS number: 106-22-9	EC number: 203-375-0	
Coumarin		<0.25%
CAS number: 91-64-5	EC number: 202-086-7	

Oxacycloheptadec-10-en-2-		<0.25%
CAS number: 63286-42-0	EC number: 814-308-5	REACH registration number: 01- 2120768557-38-XXXX
SECTION 4: First aid measur	res	
4.1. Description of first aid me	easures	
General information	Get medical attention immediately. Show this	s Safety Data Sheet to the medical personnel.
nhalation	keep warm and at rest in a position comforta Loosen tight clothing such as collar, tie or be	elt. When breathing is difficult, properly trained ministering oxygen. Place unconscious person o
ngestion	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.	
Skin contact	Rinse with water.	
Eye contact	Rinse immediately with plenty of water. Rem apart. Continue to rinse for at least 10 minute	nove any contact lenses and open eyelids wide es.
Protection of first aiders		protective equipment during any rescue. Wash before removing it from the affected person, or d personnel to carry out mouth-to-mouth
1.2. Most important symptom	s and effects, both acute and delayed	
General information	See Section 11 for additional information on described will vary dependent on the concer	health hazards. The severity of the symptoms ntration and the length of exposure.
nhalation		adverse effects: Headache. Nausea, vomiting. ness, dizziness, disorientation, vertigo. Narcotic
ngestion	Due to the physical nature of this product, it	is unlikely that ingestion will occur.
Skin contact	Repeated exposure may cause skin dryness	s or cracking.
Eye contact	May be slightly irritating to eyes. May cause	discomfort.
1.3. Indication of any immedia	ate medical attention and special treatment nee	eded
Notes for the doctor	Treat symptomatically.	

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

5.2. Special hazards arising fr	om the substance or mixture		
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.		
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.		
5.3. Advice for firefighters			
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.		
SECTION 6: Accidental release	se measures		
6.1. Personal precautions, pro	tective equipment and emergency procedures		
Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Evacuate area. Risk of explosion. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated. Avoid inhalation of dust and vapours. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with eyes and prolonged skin contact.		
6.2. Environmental precaution	6.2. Environmental precautions		
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.		
6.3. Methods and material for	containment and cleaning up		
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to		

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

enter confined spaces, due to the risk of explosion. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Avoid exposing aerosol containers to high temperatures or direct sunlight. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Spray will evaporate and cool rapidly and may cause frostbite or cold burns if in contact with skin. Avoid contact with eyes. Avoid inhalation of vapours and spray/mists.	
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.	
7.2. Conditions for safe stora	age, including any incompatibilities	
Storage precautions	Store locked up. Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight. Do not store near heat sources or expose to high temperatures. Do not expose to temperatures exceeding 50°C/122°F. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.	
Storage class	Chemical storage.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure controls/Personal protection		

8.1. Control parameters

Occupational exposure limits

ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

Propylene Glycol

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m³ total vapour and particulates WEL = Workplace Exposure Limit.

Ingredient

8.2. Exposure controls



Appropriate engineering controls



Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.

Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN14387. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
Environmental exposure controls	Keep container tightly sealed when not in use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Aerosol.
Colour	Colourless.
Odour	Perfume.
Odour threshold	Not known.
pН	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not known.
Flammability (solid, gas)	Extremely flammable aerosol.
Vapour pressure	310000 Pa @ 20°C
Vapour density	> 1
Relative density	0.619 g/ml
Solubility(ies)	Soluble in water.
Partition coefficient	Not known.

Auto-ignition temperature	Not applicable.	
Decomposition Temperature	Not applicable.	
Viscosity	Not known.	
Explosive properties	Pressurised container: may burst if heated If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.	
Oxidising properties	Not applicable.	
9.2. Other information		
Volatility	Volatile.	
Organic solvents		
SECTION 10: Stability and rea	ctivity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidising agents.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid exposing aerosol containers to high temperatures or direct sunlight. Pressurised container: may burst if heated	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decompositio	n products	
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.	
SECTION 11: Toxicological inf	formation	
11.1. Information on toxicological effects		
Acute toxicity - oral Notes (oral LD₅o)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal Notes (dermal LD∞)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation Notes (inhalation LC_{50})	Based on available data the classification criteria are not met.	
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.	
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.	

Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifiable as to its carcinogenicity to humans.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity - single exposure		
STOT - single exposure	STOT SE 3 - H336 May cause drowsiness or dizziness.	
Target organs	Central nervous system	
Specific target organ toxicity -	repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	A single exposure may cause the following adverse effects: Headache. Nausea, vomiting. Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo. Narcotic effect.	
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur.	
Skin contact	Repeated exposure may cause skin dryness or cracking.	
Eye contact	May be slightly irritating to eyes. May cause discomfort.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target organs	Central nervous system	
SECTION 12: Ecological inform	mation	
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.	
12.1. Toxicity		
Toxicity	Based on available data the classification criteria are not met.	
12.2. Persistence and degradability		
Persistence and degradability	The degradability of the product is not known.	

12.3. Bioaccumulative potential		
Bioaccumulative potential	No data available on bioaccumulation.	
Partition coefficient	Not known.	
12.4. Mobility in soil		
Mobility	The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.	
12.5. Results of PBT and vPvE	3 assessment	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment method	S	
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.	
Disposal methods	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible.	
SECTION 14: Transport inform	nation	
General	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.	
14.1. UN number		
UN No. (ADR/RID)	1950	
UN No. (IMDG)	1950	
UN No. (ICAO)	1950	
UN No. (ADN)	1950	
14.2. UN proper shipping name		
Proper shipping name (ADR/RID)	AEROSOLS	
Proper shipping name (IMDG)	AEROSOLS	
Proper shipping name (ICAO)	AEROSOLS	
Proper shipping name (ADN)	AEROSOLS	
14.3. Transport hazard class(es)		
ADR/RID class		
	2.1	
ADR/RID classification code	2.1 5F	

ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

Transport labels



14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS	F-D, S-U
ADR transport category	2
Tunnel restriction code	(D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to
Annex II of MARPOL 73/78Not intended to be carried in bulk according to International Maritime Organisation (IMO)
instruments. Packaged liquids are not considered bulk.and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits. The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC. Council Directive of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

SECTION 16: Other information		
General information	CR-0317	
Classification procedures according to Regulation (EC) 1272/2008	STOT SE 3 - H336: : Calculation method. Aerosol 1 - H222, H229: : Expert judgement.	
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.	
Revision comments	Revised formulation.	
Issued by	Compliance Lead - Vectair Systems	
Revision date	06/05/2021	
Revision	4	
Supersedes date	01/02/2021	
SDS number	4795	
Hazard statements in full	 H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. EUH208 Contains Heliotropine, p-Menthan-7-ol, Tetramethyl acetyloctahydronaphthalenes. May produce an allergic reaction. 	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.