SDS conforms with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends (EC) No 2015/830, 453/2010 & 1907/2006)" and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020".



SAFETY DATA SHEET MYSTROL RTU

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product name	MYSTROL RTU	
Product number	A037 EV	
Internal identification	Professional Hygiene	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Alkaline Liquid Hard Surface Cleaner. & Degreaser	
1.3. Details of the supplier of the safety data sheet		
Supplier <u>1.4. Emergency telephone nur</u>	UK Supplier: Evans Vanodine International plc, Brierley Road, Walton Summit, Preston, PR5 8AH, UK. Tel: 01772 322 200. e-mail: productcompliance@evansvanodine.co.uk	EU Supplier: Evans Vanodine Europe (FR), 3 Boulevard de Belfort, 1st Floor, Lille, 59000, France. Tel: +33 (0)3 76 04 21 87.
Emergency telephone	New Safety Data Sheets - 01772 322 200 - Mon to T - Fri 8.30am to 1.30pm (Also available 24/7 from our For Technical Advice about this SDS - 01772 318 818	website www.evansvanodine.co.uk)
National emergency Telephone number	For Health Care Professionals only For use in UK: Contact the National Poisons Informa For use in the Republic of Ireland: To report a poison Poisons Information Centre, Beaumont Hospital, Dul day). For use in Malta: Emergency services (Ambula	ing incident contact The National blin (01-8092166 – 8am to 10pm every

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification (EU: 1272/2008 & UK: SI 2020/1567 which amends SI 2019 No. 720)

Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified
2.2. Label elements	
Hazard statements	NC Not Classified
Precautionary statements	P102 Keep out of reach of children. P301+P313 IF SWALLOWED: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Including - Endocrine disrupting properties: None known.

SECTION 3: Composition/info	rmation on ingredients
3.2. Mixtures	
2-BUTOXYETHANOL	1-3%
CAS number: 111-76-2	EC number: 203-905-0
	Lo number. 203-303-0
Classification	
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Acute Tox. 4 - H332	
Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	
	stamente are Displayed in Section 16
Composition comments	atements are Displayed in Section 16. The ingredients are present in non-hazardous concentrations.
-	
SECTION 4: First aid measure	
4.1. Description of first aid mea	
Inhalation	If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention.
Skin contact	Wash with plenty of water.
Eye contact	Rinse immediately with plenty of water. Get medical attention if irritation persists after washing.
4.2. Most important symptoms	and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known. But - May cause discomfort if swallowed.
Skin contact	No specific symptoms known. But prolonged or excessively repeated skin contact could lead to removal of natural oils from skin.
Eye contact	No specific symptoms known. Prolonged contact may cause redness and/or tearing.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	ures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
5.2. Special hazards arising from the substance or mixture	
Specific hazards	Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental relea	se measures
6.1. Personal precautions, protective equipment and emergency procedures	
Personal precautions	No special protective clothing. (See Sec 8)
6.2. Environmental precaution	
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain spillage with sand, earth or other suitable non-combustible material. Collect and place in suitable waste disposal containers and seal securely.
6.4. Reference to other section	ons
Reference to other sections	For personal protection, see Section 8.
SECTION 7: Handling and st	brage
7.1. Precautions for safe hand	dling
Usage precautions	No specific recommendations.
7.2. Conditions for safe storage, including any incompatibilities	
Storage precautions	Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
Usage description	See Product Information Sheet & Label for detailed use of this product.
SECTION 8: Exposure controls/Personal protection	
SECTION 8: Exposure contro	Is/Personal protection
SECTION 8: Exposure control 8.1. Control parameters Occu 2-BUTOXYETHANOL	· · · · · · · · · · · · · · · · · · ·
8.1. Control parameters Occu 2-BUTOXYETHANOL Long-term exposure limit (8-h	· · · · · ·
8.1. Control parameters Occu 2-BUTOXYETHANOL Long-term exposure limit (8-h Short-term exposure limit (15	ipational exposure limits nour TWA): WEL 25 ppm 123 mg/m³
8.1. Control parameters Occu 2-BUTOXYETHANOL Long-term exposure limit (8-h Short-term exposure limit (15 Sk 2-AMINOETHANOL Long-term exposure limit (8-h	ipational exposure limits nour TWA): WEL 25 ppm 123 mg/m³
8.1. Control parameters Occu 2-BUTOXYETHANOL Long-term exposure limit (8-h Short-term exposure limit (15 Sk 2-AMINOETHANOL Long-term exposure limit (8-h Short-term exposure limit (15	upational exposure limits nour TWA): WEL 25 ppm 123 mg/m ³ -minute): WEL 50 ppm 246 mg/m ³ nour TWA): WEL 1 ppm 2.5 mg/m ³ -minute): WEL 3 ppm 7.6 mg/m ³ Limit. Jh skin.
8.1. Control parameters Occu 2-BUTOXYETHANOL Long-term exposure limit (8-h Short-term exposure limit (15 Sk 2-AMINOETHANOL Long-term exposure limit (8-h Short-term exposure limit (15 Sk WEL = Workplace Exposure l Sk = Can be absorbed throug	upational exposure limits nour TWA): WEL 25 ppm 123 mg/m ³ -minute): WEL 50 ppm 246 mg/m ³ nour TWA): WEL 1 ppm 2.5 mg/m ³ -minute): WEL 3 ppm 7.6 mg/m ³ Limit. Jh skin.
8.1. Control parameters Occu 2-BUTOXYETHANOL Long-term exposure limit (8-h Short-term exposure limit (15 Sk 2-AMINOETHANOL Long-term exposure limit (8-h Short-term exposure limit (15 Sk WEL = Workplace Exposure l Sk = Can be absorbed throug Sk = Can be absorbed throug	upational exposure limits nour TWA): WEL 25 ppm 123 mg/m ³ -minute): WEL 50 ppm 246 mg/m ³ nour TWA): WEL 1 ppm 2.5 mg/m ³ -minute): WEL 3 ppm 7.6 mg/m ³ Limit. Jh skin.
 <u>8.1. Control parameters Occu</u> <u>2-BUTOXYETHANOL</u> Long-term exposure limit (8-h Short-term exposure limit (15 Sk <u>2-AMINOETHANOL</u> Long-term exposure limit (8-h Short-term exposure limit (15 Sk WEL = Workplace Exposure limit (15 Sk = Can be absorbed throug Sk = Can be absorbed throug <u>8.2. Exposure controls</u> Appropriate engineering 	upational exposure limits nour TWA): WEL 25 ppm 123 mg/m ³ -minute): WEL 50 ppm 246 mg/m ³ nour TWA): WEL 1 ppm 2.5 mg/m ³ -minute): WEL 3 ppm 7.6 mg/m ³ Limit. If skin. If h skin.
8.1. Control parameters Occu 2-BUTOXYETHANOL Long-term exposure limit (8-h Short-term exposure limit (15 Sk 2-AMINOETHANOL Long-term exposure limit (8-h Short-term exposure limit (15 Sk WEL = Workplace Exposure l Sk = Can be absorbed throug Sk = Can be absorbed throug	upational exposure limits nour TWA): WEL 25 ppm 123 mg/m ³ -minute): WEL 50 ppm 246 mg/m ³ nour TWA): WEL 1 ppm 2.5 mg/m ³ -minute): WEL 3 ppm 7.6 mg/m ³ Limit. In skin. In the skin. In the skin.
8.1. Control parameters Occu 2-BUTOXYETHANOL Long-term exposure limit (8-h Short-term exposure limit (15 Sk 2-AMINOETHANOL Long-term exposure limit (8-h Short-term exposure limit (15 Sk WEL = Workplace Exposure l Sk = Can be absorbed throug Sk = Can be absorbed throug	Ipational exposure limits Inour TWA): WEL 25 ppm 123 mg/m ³ -minute): WEL 50 ppm 246 mg/m ³ Inour TWA): WEL 1 ppm 2.5 mg/m ³ -minute): WEL 3 ppm 7.6 mg/m ³ Limit. Init. I

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Clear. Fluorescent. Yellow.	
Odour	Lemon.	
рН	pH (concentrated solution): 11.00	
Melting point	O°C	
Initial boiling point and range	100°C @ 760 mm Hg	
Flash point	Boils without flashing.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits	Not applicable.	
Vapour pressure	Not available.	
Vapour density	Not available.	
Relative density	Density=0.999 @ 20°C	
Solubility(ies)	Soluble in water.	
Partition coefficient	Not applicable.	
Auto-ignition temperature	Not applicable.	
Decomposition Temperature	Not applicable.	
Viscosity	Not available.	
9.2. Other information		
Other information	None.	
Particle size	Not applicable.	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	No particular stability concerns.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	See sections 10.1,10.4 & 10.5	
10.4. Conditions to avoid		
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.	

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition	No known hazardous decomposition products.
products	

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.
Other health effects	Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.
Acute toxicity - oral	
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	115,326.06
Acute toxicity - dermal	
Notes (dermal LD ₅₀)	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	88,801.07
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l)	895.99
Skin corrosion/irritation	
Summary	Not applicable.
Serious eye damage/irritation	
Summary	Not applicable.
Respiratory sensitisation	
Summary	Not applicable.
Skin sensitisation	
Summary	Not applicable.
Germ cell mutagenicity	
Summary	Not applicable.
<u>Carcinogenicity</u>	
Summary	Not applicable.
Reproductive toxicity	
Summary	Not applicable.
<u>Specific target organ toxicity -</u> Summary	Not applicable.
Specific target organ toxicity -	
Summary	Not applicable.
-	
<u>Aspiration hazard</u> Summary	Not applicable.
Caninary	

11.2. Information on other Hazards	None known.
11.2.1 Endocrine disrupting properties	None known.
SECTION 12: Ecological inform	nation
Ecotoxicity	Not regarded as dangerous for the environment.
<u>12.1. Toxicity</u>	
Toxicity	We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.
12.2. Persistence and degrada	ability
Persistence and degradability	The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended). and UK Regulation: SI 2020 No. 1617 "The Detergents (Amendment) (EU Exit) Regulations 2020".
12.3. Bioaccumulative potentia	<u>1</u>
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
Partition coefficient	Not applicable.
<u>12.4. Mobility in soil</u>	
Mobility	Not known.
12.5. Results of PBT and vPvE	<u>3 assessment</u>
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Endocrine disrupting properties	None known.
12.7. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal consid	erations
13.1. Waste treatment methods	
Disposal methods	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Consign empty container to normal waste.
SECTION 14: Transport information	
General	Not classified for Transport.
<u>14.1. UN number</u>	
Not applicable.	
14.2. UN proper shipping name	
Not applicable.	
14.3. Transport hazard class(es)	
Not regulated.	

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL And the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

LegislationSafety Data Sheet prepared in accordance with EU Regulation: "REACH Commission
Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 &
1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.)
(EU Exit) Regulations 2020.".The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008
classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No.
1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained
Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No
1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI
2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms
(Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No
1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI
2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms
(Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019
No.720).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information	
Abbreviations and acronyms used in the safety data sheet	PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative. ATE: Acute Toxicity Estimate. REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577. GHS: Globally Harmonized System. Spec Conc Limits = Specific Concentration Limits.
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Aquatic Chronic = Hazardous to the aquatic environment (chronic) Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation STOT SE = Specific target organ toxicity-single exposure NC (Not Classified)
Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures	Calculation Method.

Revision comments	New Evans Logo & EU Address - No change in Product Classification. (Changes made to sections 1+16)
Revision date	01/10/2024
Revision	11
	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.
Hazard statements in full	H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H332 Harmful if inhaled.